




Todo Tipo de Antenas



MARCA	FOTO	SKU	DESCRIPCIÓN
		C050067H008B	PTP 670 Connectorized END with AC+DC Enhanced Supply
		AF-5XHD	Ubiquiti airFiber® 5X HD radio Backhaul Punto a Punto, Conectorizado 5GHz con tecnología LTU, 29 dBm
MARCA	FOTO	SKU	DESCRIPCIÓN
		C050910M101A	ePMP 5 GHz Force 300-25 High Gain Radio (ROW) hasta 600 Mbps decapacidad y latencia menor a 2 ms - Antena integrada de 25 dBi
		PBE-5AC-ISO-Gen2	Ubiquiti PowerBeam airMAX® AC ISO Gen 2, para Radioenlaces PtP de 5 GHz, 25 dBi, 400 mm
		RP-5AC-Gen2	Ubiquiti Rocket PrismaAC GEN2 airMAX®, 27 dBm, 5 GHz Conectorizado
		RB921UAGS-5SHPact-NM	NetMetal 5SHP triple (720MHz CPU, 128MB RAM, 1xGigabit LAN, 1xSFP cage, 1xUSB, built-in 5Ghz 802.11ac 3x3 tripple chain Super high power wireless w three RP-SMA connectors, RouterOS L4, outdoor enclosure, POE, PSU, pole mount, rail mount)
MARCA	FOTO	SKU	DESCRIPCIÓN
		NBE-5AC-GEN2	Ubiquiti NanoBeam airMAX AC GEN2 CPE hasta 450 Mbps, 5 GHz (5150 - 5875 MHz) con antena integrada de 19 dBi
		PBE-5AC-Gen2	Ubiquiti PowerBeam airMAX® AC GEN2, 24 dBm, 5 GHz con Antena Integrada de 25 dBi, 400 mm
		PBE-M5-400	Ubiquiti PowerBeam airMAX® M Radioenlace Punto a Punto / CPE WISP, 5 GHz, con Antena Integrada 25 dBi, 400 mm

		PBE-M5-300	Ubiquiti PowerBeam airMAX® M Radioenlace Punto a Punto / CPE WISP, 5 GHz, con Antena Integrada 22 dBi, 300 mm
		RBDynaDishG-5HacD	DynaDish 5 with 25dBi 5GHz 8 degree antenna with Dual Chain 802.11acwireless, 720MHz CPU, 128MB RAM, GE, POE, PSU, pole mount, RouterOS L3


MARCA	FOTO	SKU	DESCRIPCIÓN
		AF-5G30-S45	Ubiquiti airFiber® 5X antenna Dish para enlaces PtP, 5 GHz, 30 dBi
		AF-5G34-S45	Ubiquiti airFiber® 5X antenna Dish para enlaces PtP, 5 GHz, 34 dBi
		RD-5G34	Ubiquiti airMAX® Rocket Dish, Antena para Radioenlace PtP, 5 GHz, 34 dBi
		RD-5G30	Ubiquiti airMAX® Rocket Dish, Antena para Radioenlace PtP, 5 GHz, 30 dBi
		RD-5G30-LW	Ubiquiti airMAX® Rocket Dish, Antena para Radioenlace PtP, 5 GHz, 30 dBi
 		RD-5G31-AC	Ubiquiti airMAX® Rocket Dish, Antena para Radioenlace PtP, 5 GHz, 31 dBi
		MTAD-5G-30D3	mANT 30dBi 5Ghz Parabolic Dish antenna with standard type mount

MARCA	FOTO	SKU	DESCRIPCIÓN
		RB750UPr2	hEX PoE lite with 650MHz CPU, 64MB RAM, 5xLAN (four with PoE out), USB, RouterOS L4, plastic case and PSU

		RB750Gr3	hEX with Dual Core 880MHz MHz CPU, 256MB RAM, 5 Gigabit LAN ports,USB, RouterOS L4, plastic case, PSU
		RB760iGS	hEX S with Dual Core 880MHz MHz CPU, 256MB RAM, 5 Gigabit LAN ports,SFP, USB, PoE-out on port #5, RouterOS L4, plastic case, PSU
		RB2011UiAS-RM	RouterBOARD 2011UiAS with Atheros 74K MIPS CPU, 128MB RAM, 1xSFP port, 5xLAN, 5xGbit LAN, RouterOS L5, 1U rackmount case, PSU, LCD panel
		RB3011UiAS-RM	RouterBOARD 3011UiAS with Dual core 1.4GHz ARM CPU, 1GB RAM, 10xGbit LAN, 1xSFP port, RouterOS L5, 1U rackmount case, LCD panel
		RB4011iGS+RM	RouterBOARD 4011iGS+ with Annapurna Alpine AL21400 Cortex A15 CPU (4-cores, 1.4GHz per core), 1GB RAM, 10xGbit LAN, 1xSFP+ port, RouterOS L5, desktop case, rackmount ears, PSU
		RB1100XAH4	RB1100AHx4 with Annapurna Alpine AL21400 Cortex A15 CPU (4-cores,1.4GHz per core), 1GB RAM, 13xGbit LAN, RouterOS L6, 1U rackmountcase, Dual PSU
		RB1100DX4	RB1100AHx4 Dude Edition with Annapurna Alpine AL21400 Cortex A15 CPU(4-cores, 1.4GHz per core), 1GB RAM, 13xGbit LAN, 60GB M.2 drive, RouterOS L6, 1U rackmount case, Dual PSU
		CCR1009-7G-1C-1S+	Cloud Core Router 1009-7G-1C-1S+ with Tilera Tile-Gx9 CPU (9-cores, 1.2Ghz per core), 2GB RAM, 7xGbit LAN, 1x Combo port (1xGbit LAN or SFP), 1x SFP+ cage, RouterOS L6, 1U rackmount case, Dual PSU, LCD panel
		CCR1009-7G-1C-1S+PC	Cloud Core Router 1009-7G-1C-1S+PC with Tilera Tile-Gx9 CPU (9-cores, 1Ghz per core), 2GB RAM, 7xGbit LAN, 1x Combo port (1xGbit LAN or SFP),1x SFP+ cage, RouterOS L6, LCD panel, passive cooling desktop enclosure,PSU
		CCR2004-1G-12S+2XS	Cloud Core Router 2004-1G-12S+2XS with Annapurna Alpine AL32400 Cortex A57 CPU (4-cores, 1.7GHz per core), 4GB RAM, 1x Gigabit RJ45 port,12x 10G SFP+ cages, 2 x 25G SFP28 cages, RouterOS L6, 1U rackmount case, Dual PSU
		CCR1072-1G-8S+	Cloud Core Router 1072-1G-8S+ with Tilera Tile-Gx72 CPU (72-cores, 1GHz per core), 16GB RAM, 8xSFP+ cage, 1xGbit LAN, RouterOS L6, 1U rackmount case, two redundant hot plug PSU, LCD panel

MikroTik		CCR1036-12G-4S-EM	Cloud Core Router 1036-12G-4S with Tilera Tile-Gx36 CPU (36-cores, 1.2Ghz per core), 16GB RAM, 4xSFP cage, 12xGbit LAN, RouterOS L6, 1U rackmount case, PSU, LCD panel
MikroTik		CCR1036-8G2S+EM	Cloud Core Router 1036-8G-2S+EM with Tilera Tile-Gx36 CPU (36-cores, 1.2Ghz per core), 16GB RAM, 2xSFP+ cage, 8xGbit LAN, RouterOS L6, 1U rackmount case, PSU, LCD panel
MARCA	FOTO	SKU	DESCRIPCIÓN

UBIQUITI NETWORKS		LTU-Rocket	Ubiquiti Rocket LTU® capacidad de hasta 600 Mbps, con filtrado de RFpatentado y GPS sync , 27 dBm, 5 GHz Conectorizado
UBIQUITI NETWORKS		RP-5AC-Gen2	Ubiquiti Rocket AC GEN2 airMAX® , 27 dBm, 5 GHz Conectorizado
UBIQUITI NETWORKS		R5AC-Lite	Ubiquiti Rocket AC Lite airMAX, 5 GHz Conectorizado
UBIQUITI NETWORKS		RocketM5	Ubiquiti Rocket M airMAX® Acces Point para WISP (Base) 5 GHz, 27 dBm
UBIQUITI NETWORKS		RocketM2	Ubiquiti Rocket M2 airMAX® Acces Point para WISP (Base) 2.4 GHz, 28dBm
UBIQUITI NETWORKS		IS-5AC	Ubiquiti airMAX® AC IsoStation Radioenlace PtP & PtMP, 25 dBm, 5 GHz, 14 dBi
UBIQUITI NETWORKS		LAP-GPS	Ubiquiti LAP-GPS airMAX® AC LiteBeam™ Acces Point para WISP (Base conantena), 25 dBm, 5 GHz, con antena integrada 16 dBi, 120° de apertura
UBIQUITI NETWORKS		LAP-120	Ubiquiti LAP-120 airMAX® AC LiteBeam™ Acces Point para WISP (Base conantena), 25 dBm, 5 GHz, con antena integrada 16 dBi, 120° de apertura

MARCA	FOTO	SKU	DESCRIPCIÓN
		AM-2G15-120	Ubiquiti airMAX® Antena Sectorial para Estación Base, 2.4 GHz, 15 dBi, 120°, w/Rocket Kit
		AM-5G19-120	Ubiquiti airMAX® Antena Sectorial para Estación Base, 5 GHz, 19 dBi, 120° w/ Rocket Kit
		AM-5G20-90	Ubiquiti airMAX® Antena Sectorial para Estación Base, 5 GHz, 20 dBi, 90° w/Rocket Kit
		AMO-2G13	Ubiquiti airMAX® Antena Omnidireccional para Estación Base, 2.4 GHz, 13 dBi w/Rocket Kit
		AMO-5G10	Ubiquiti airMAX® Antena Omnidireccional para Estación Base, 5 GHz, 10 dBi w/Rocket Kit
		AMO-5G13	Ubiquiti airMAX® Antena Omnidireccional para Estación Base, 5 GHz, 13 dBi w/Rocket Kit
		Horn-5-30	Ubiquiti airMAX® Prism® Antena simétrica diseñada para un mayorrendimiento de Co-Ubicación, 5 GHz, 30°
		Horn-5-45	Ubiquiti airMAX® Prism® AP Antena simétrica diseñada para un mayor rendimiento de Co-Ubicación, 5 GHz, 45°
		Horn-5-60	Ubiquiti airMAX® Prism® Antena simétrica diseñada para un mayorrendimiento de Co-Ubicación, 5 GHz, 60°
		Horn-5-90	Ubiquiti airMAX® Prism® Antena simétrica diseñada para un mayorrendimiento de Co-Ubicación, 5 GHz, 90°
MARCA	FOTO	SKU	DESCRIPCIÓN
		LTU LR	Ubiquiti CPE LTU® Potencia 22 dBm, 5 GHz Ganancia de antena 26 dBi, 01puerto GE
		LTU-Lite	Ubiquiti CPE LTU® Potencia 22 dBm, 5 GHz Ganancia de antena 13 dBi, 01puerto GE

		LBE-5AC-Gen2	Ubiquiti airMAX® AC LiteBeam GEN2 CPE para WISP de 5 GHz, 23 dBi
		NBE-5AC-Gen2	Ubiquiti airMAX® AC NanoBeam GEN2 Acces Point y Base en 5 GHz con Antena Integrada de 19 dBi
		NS-5AC	Ubiquiti airMAX® AC NanoStation, 5 GHz con Antena Integrada de 16 dBi
		LOCO5AC	Ubiquiti NanoStation airMAX Loco5AC CPE , 5 GHz (5150 - 5875 MHz), conantena integrada de 13 dBi, no incluye adaptador PoE
		LBE-M5-23	Ubiquiti LiteBeam airMAX® M5 CPE para clientes PtMP, 5 GHz, Antena Integrada 23 dBi
		LocoM2	Ubiquiti NanoStation airMAX® M, radio con antena de panel integrada paraenlaces de 2.4 GH, 8.5 dBi
		LocoM5	Ubiquiti NanoStation airMAX® M, radio con antena de panel integrada paraenlaces 5 GH, 13 dBi
		NBE-M5-16	Ubiquiti 5 GHz NanoBeam airMAX® M, CPE para WISP, 5 GHz con AntenaIntegrada de 16 dBi

MARCA	FOTO	SKU	DESCRIPCIÓN
		RB921UAGS-5SHPAcD-NM	NetMetal 5SHPn (720MHz CPU, 128MB RAM, 1xGigabit LAN, 1xSFP cage, 1xUSB, built-in 5Ghz 802.11ac 2x2 dual chain Super High Power wireless with two RP-SMA connectors, RouterOS L4, outdoor enclosure, POE, PSU,pole mount, rail mount)
		RB921GS-SHPACD-19S	mANTBox 19s with 19dBi 5GHz 120 degree sector antenna, Dual Chain 802.11ac wireless, 720MHz CPU, 128MB RAM, 1xGbit LAN, 1xSFP, PoE, PSU, mounting kit, RouterOS L4
		RB921GS-SHPACD-15S	mANTBox 15s antena sectorial 15dBi 5GHz 120, 802.11ac, 128MB RAM,1xGbit LAN, 1xSFP, PoE, PSU, mounting kit, RouterOS L4
		RBOMniTikPG-5HacD	OmniTIK 5 POE ac with 2 x 7.5dBi integrated 5GHz Omni antennas, HighGain Dual Chain 802.11an/ac wireless, 720MHz CPU, 128MB RAM, 5xGigabit LAN (4 with POE -OUT), POE, PSU, pole mount, RouterOS L4
MARCA	FOTO	SKU	DESCRIPCIÓN

		MTAS-5G-15D120	mANT 15s 5GHz 120 degree 15dBi Dual Polarization Sector Antenna, 2xRP- SMA connectors
		MTAS-5G-19D120	mANT 19s 5GHz 120 degree 19dBi Dual Polarization Sector Antenna, 2xRP- SMA connectors

MARCA	FOTO	SKU	DESCRIPCIÓN
		RBDisc-5nD	DISC Lite5 with 21dBi 5GHz antenna, Dual Chain 802.11an wireless, 600MHz CPU, 64MB RAM, 1 x LAN, PoE, PSU, pole mount, RouterOS L3
		RBSXTsq5nD	SXTsq Lite5 with 16dBi 5GHz antenna, Dual Chain 802.11an wireless, 600MHz CPU, 64MB RAM, 1 x LAN, POE, PSU, pole mount, RouterOS L3
		RBSXTsq5HPnD	SXTsq 5 with 16dBi 5GHz antenna, High Power Dual Chain 802.11an wireless, 600MHz CPU, 64MB RAM, 1 x LAN, POE, PSU, pole mount, RouterOS L4
		RBLHG-5nD	LHG 5 with 24.5dBi 5GHz antenna, Dual Chain 802.11an wireless, 600MHzCPU, 64MB RAM, 1x LAN, POE, PSU, RouterOS L3
		RBLDFG-5acD	LDF 5 ac with 9dBi integrated 5GHz antenna, Dual Chain 802.11ac wireless,716MHz CPU, 256MB RAM, 1x Gigabit LAN, outdoor case, GPOE, PSU

MARCA	FOTO	SKU	DESCRIPCIÓN
		U6-Lite 	UniFi 6 Lite Access Point Wi-Fi 6 Access Point with dual-band 2x2 MIMO ina compact design for low-profile mounting.
		U6-LR 	UniFi 6 Long-Range Access Point 3.0 Gbps with 5 GHz (4x4 MU-MIMO andOFDMA) and 2.4 GHz 4x4 MIMO radios
		UAP-AC-SHD	Ubiquiti UniFi® AC SHD Access Point Indoor/Outdoor, 25 dBm, 2.4 y 5 GHz, Antena Integrada



		UAP-AC-PRO	Ubiquiti UniFi® AC Wireles Access Point, Indoor/Outdoor 2.4 y 5 GHz, Antena Integrada
		UAP-AC-LITE	Ubiquiti UniFi® AC Wireles Access Point, Indoor, 20 dBm, 2.4 y 5 GHz, Antena Integrada
		UAP-AC-LR	Ubiquiti UniFi® AC Wireles Access Point Long Range, Indoor 2.4 y 5 GHz, Antena Integrada
		UAP-AC-M	Ubiquiti UniFi® AC Mesh, Access Point Indoor/Outdoor 2.4 y 5 GHz, 20 dBm
 		UAP-AC-M-PRO	Ubiquiti UniFi® AC Mesh PRO, Access Point Indoor/Outdoor 2.4 y 5 GHz, 22 dBm
		UAP-AC-IW	Ubiquiti UniFi® AC In-Wall Access Point de Pared Indoor, with two Gigabit Ethernet ports.
		PL-E410PUSA-RW	E410 Indoor (ROW with US country cord) 802.11ac Wave 2, 2x2, AP with PoE Injector
		PL-501SPUSA-RW	E501S (ROW, US cord) Outdoor 90~120 sector 802.11ac WLAN AP with Tilt bracket & PoE Injector
MARCA	FOTO	SKU	DESCRIPCIÓN
		RBD52G-5HacD2HnD-TC	hAP ac² with 716MHz CPU, 128MB RAM, 5 x Gbit LAN, built-in 2.4Ghz 802.11b/g/n Dual Chain wireless with integrated antenna, built-in 5GHz 802.11a/n/ac Dual Chain wireless with integrated antenna, USB, RouterOS L4, desktop/tower case, PSU
		RB931-2nD	hAP mini with 650MHz CPU, 32MB RAM, 3xLAN, built-in 2.4Ghz 802.11b/g/n 2x2 two chain wireless with integrated antennas, RouterOS L4, tower case, PSU



		RB941-2nD	hAP lite with 650MHz CPU, 32MB RAM, 4xLAN, built-in 2.4Ghz 802.11b/g/n 2x2 two chain wireless with integrated antennas, RouterOS L4, desktop case, PSU
		RB941-2nD-TC	hAP lite with 650MHz CPU, 32MB RAM, 4xLAN, built-in 2.4Ghz 802.11b/g/n 2x2 two chain wireless with integrated antennas, RouterOS L4, tower case, PSU
		RB951Ui-2nD	hAP with 650MHz CPU, 64MB RAM, 5xLAN, built-in 2.4Ghz 802.11b/g/n 2x2 two chain wireless with integrated antennas, USB, RouterOS L4, desktop case, PSU
	 	RB952Ui-5ac2nD-TC	hAP ac lite with 650MHz CPU, 64MB RAM, 5xLAN, built-in 2.4Ghz 802.11b/g/n two chain wireless with integrated antennas, built-in 5Ghz 802.11ac single chain wireless with integrated antenna, USB, tower case, PSU, RouterOS L4

MARCA	FOTO	SKU	DESCRIPCIÓN
-------	------	-----	-------------

		 UDM	Ubiquiti UniFi Dream Machine Pro, de 1 UR con un puerto 10G SFP+ WAN,8 puertos 10/100/1000 Mbps RJ-45 LAN, y una bahía de HDD 3.5",
		UDM	Ubiquiti UniFi® Dream Machine AP Wi-Fi 802.11ac Wave 2 MU-MIMO 4x4,Switch de 4 puertos y Security Gateway
		USG	Ubiquiti UniFi® Security Gateway, Router para redes UniFi, VLANs
		USG-PRO-4	Ubiquiti UniFi® Security Gateway PRO, Router para redes UniFi, 4 Puertos

MARCA	FOTO	SKU	DESCRIPCIÓN
-------	------	-----	-------------

		USW-ENTERPRISE- 24POE	Ubiquiti UniFi® Switch PoE para redes UAP, 48-Port, Pot. Consumo: 750W
		USW-PRO-48-POE	UniFi Switch PRO 48 PoE ports, (8) 802.3bt PoE++ ports, and (4) 10 GB SFP+ports. Powerful second-generation UniFi switching.
		USW-PRO-24-POE	24-Port managed PoE switch with (16) 802.3at PoE+ ports, (8) GigabitEthernet ports, and (2) SFP ports. Powerful second-generation UniFiswitching.
		US-24-250W	Ubiquiti UniFi® Switch PoE para redes UAP, 24-Port, Pot. Consumo: 250W

		USW-24-POE	UniFi Switch 24 PoE 24-Port managed PoE switch with (16) 802.3at PoE+ports, (8) Gigabit Ethernet ports, and (2) SFP ports. Powerful second - generation UniFi switching.
		CRS328-24P-4S+RM	Cloud Router Switch 328-24P-4S+RM with 800 MHz CPU, 512MB RAM, 24xGigabit LAN (all PoE-out), 4xSFP+ cages, RouterOS L5 or SwitchOS (dualboot), 1U rackmount case, 500W built-in PSU
		USW-FLEX	Ubiquiti UniFi Switch FLEX para exteriores IP55 de 5 puertos (1 x PoE de entrada 802.3af/at/bt y 4 PoE salida 802.3af)
MARCA	FOTO	SKU	DESCRIPCIÓN
		USW-48	Ubiquiti UniFi® Switch Administrable, 48-Port, Sin PoE
		USW-24	Ubiquiti UniFi Switch USW-24, 2 de 24 puertos 10/100/1000 Mbps + 2 puertos 1G SFP, incluye display de estatus
		CRS326-24G-2S+RM	Cloud Smart Switch 326-24G-2S+RM with 24 x Gigabit Ethernet ports, 2xSFP+ cages, SwOS, 1U rackmount case, PSU
		CRS305-1G-4S+IN	Cloud Router Switch 305-1G-4S+IN with 800MHz CPU, 512MB RAM, 1xGigabit LAN, 4 x SFP+ cages, RouterOS L5 or SwitchOS (dual boot),metallic desktop case, PSU
		CRS317-1G-16S+RM	Cloud Router Switch 317-1G-16S+RM with 800MHz CPU, 1GB RAM, 1xGigabit LAN, 16xSFP+ cages, RouterOS L6 or SwitchOS (dual boot),passive cooling 1U rackmount enclosure, Dual redundant PSU
MARCA	FOTO	SKU	DESCRIPCIÓN
		UF-WiFi	UFiber GPON Wi-Fi Router. Up to 2.4 Gbps Downstream and 1.2 GbpsUpstream. Supports up to 20 km GPON Links. Powerful Layer 2/3 Management Features.(1) GPON WAN Port. (4) RJ45 Gigabit LAN Port
		UF-LOCO	Ubiquiti U Fiber™ LOCO, CPE GPON
		UF-OLT	Ubiquiti U Fiber™ OLT, Terminal de Linea Óptica, 8 Puertos, 10 GB
		UF-OLT-4	Ubiquiti U Fiber™ OLT, Terminal de Linea Óptica, 4 Puertos, 10 GB
		UF-MM-1G	Ubiquiti U Fiber™ Fiber Module, 1G, 2-Pack

		UF-MM-10G	Ubiquiti U Fiber™ Fiber Module, 10G, 2-Pack
		UF-SM-1G-S	Ubiquiti U Fiber™ Fiber Module, 1G, BiDi, 1-Pair
		UF-SM-10G	Ubiquiti U Fiber™ Fiber Module, 10G, 2-Pack
		UF-SM-10G-S	Ubiquiti U Fiber™ Fiber Module, 10G, BiDi, 1-Pair
		UF-GP-B+	Ubiquiti U Fiber™ Módulo GPON SFP, B+
		UF-GP-C+	Ubiquiti U Fiber™ Módulo GPON OLT SFP, C+
		UF-RJ45-1G	RJ45 - SFP Transceiver Module, SFP to RJ45
MARCA	FOTO	SKU	DESCRIPCIÓN
		POE-24-7W-G-WH	Ubiquiti PoE Adapter, Adaptaror PoE Pasivo, 24VDC, 7W
		POE-24-12W	Ubiquiti PoE Adapter, Adaptaror PoE Pasivo, 24VDC, 12W
		POE-24-12W-G	Ubiquiti PoE Adapter Gbit, Adaptaror PoE Pasivo, 24VDC, 12W
		POE-24-24W	Ubiquiti PoE Adapter, Adaptaror PoE Pasivo, 24VDC, 24W
		POE-24-24W-G	Ubiquiti PoE Adapter Gbit, Adaptaror PoE Pasivo, 24VDC, 24W
		POE-48-24W	Ubiquiti PoE Adapter, Adaptaror PoE Pasivo, 48VDC, 24W
		POE-48-24W-G	Ubiquiti PoE Adapter Gbit, Adaptaror PoE Pasivo, 48VDC, 24W (RocketTi, UAP-Pro)
		INS-8023AF-O	Ubiquiti Instant 8023af Adaptador Outdoor, 48V
		ETH-SP-G2	Ubiquiti Ethernet Surge Protector ESD Protection for Outdoor High-Speed Networks

		UDC-1	Ubiquiti Direct Attach Passive Copper Cable, 10 GE, 1 meter